


Merk:	FAUN
Type:	ATF 50-G3



Voertuigeigenschappen			
Totaal gewicht (kg)	Asconfiguratie	Hondengang mogelijk	Doorrijhoogte (cm)
36000	6x6x6	Ja	379.5

Hijsblokken		
Capaciteit (t)	Gewicht (kg)	Omschrijving
5.7	110	Hijsbal
16	325	1-schijf
38.3	470	3-schijf



KONINKLIJKE
SAAN

0900 - 660 60 60
www.saan.nl
info@saan.nl

Versiedatum: 23-12-2021

Servicecode:


K050WT

This publication remains the property of the publisher and shall be treated as confidential, unless contractually specified otherwise. No parts of it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, without the prior written permissions of the publisher. Typing errors reserved. No rights may be derived from these drawings and tables.
Copyright Koninklijke Saan B.V. 2009

Pagina:

1 / 4

Merk:	FAUN
Type:	ATF 50-G3



KONINKLIJKE
SAAN

0900 - 660 60 60
www.saan.nl
info@saan.nl

Versiedatum: 23-12-2021

Servicecode:


K050WT

This publication remains the property of the publisher and shall be treated as confidential, unless contractually specified otherwise. No parts of it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, without the prior written permissions of the publisher. Typing errors reserved. No rights may be derived from these drawings and tables.
Copyright Koninklijke Saan B.V. 2009

Pagina:

2 / 4

Merk:	FAUN
Type:	ATF 50-G3



KONINKLIJKE
SAAN

0900 - 660 60 60
www.saan.nl
info@saan.nl

Versiedatum: 23-12-2021

Servicecode:

K050WT

This publication remains the property of the publisher and shall be treated as confidential, unless contractually specified otherwise. No parts of it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, without the prior written permissions of the publisher. Typing errors reserved. No rights may be derived from these drawings and tables.

Pagina:

3 / 4

Copyright Koninklijke Saan B.V. 2009

Merk:	FAUN
Type:	ATF 50-G3

Vlucht	Hoofdmast 13.7- 40 m									Vlucht
	Contragewicht 10 ton									
(M)	10 m	13.8 m	17.5 m	21.3 m	25 m	28.8 m	32.5 m	36.3 m	40 m	(M)
3	45.4 **	30	30	20						3
3.5	41.6	30	30	20	20					3.5
4	38.4	30	30	20	20	17.6				4
4.5	35.1	30	28.7	20	20	17.6				4.5
5	31.8	30	26.9	20	20	17.2	12.8			5
6	26.9	26.1	23.8	20	18.2	15.6	12.8	9.9		6
7	22.3	21.7	21.3	18.9	16.5	14.3	12.4	9.9	7.5	7
8		19.1	19.5	17.5	15.1	13.1	11.5	9.9	7.5	8
9		15.7	16	16.1	13.8	12.1	10.6	9.5	7.5	9
10		13.2	13.5	13.7	12.4	11.2	9.9	8.8	7.5	10
11		11.3	11.6	11.7	10.6	10.4	9.2	8.2	7.3	11
12			10.1	10.2	9.1	9.3	8.6	7.7	6.9	12
14			7.8	8	8.1	7.1	7.3	6.8	6.1	14
16				6.4	6.5	6.2	5.8	5.9	5.4	16
18				5.3	5.4	5.4	4.8	4.8	4.9	18
20					4.5	4.5	4.3	3.9	4	20
22					3.8	3.8	3.8	3.2	3.3	22
24						3.3	3.3	2.6	2.7	24
26						2.8	2.8	2.1	2.3	26
28							2.4	1.7	1.8	28
30							2.1	1.4	1.5	30
32								1.1	1.2	32
34									1	34
36									0.7	36

* * Alleen met extra hijsvoorzieningen



KONINKLIJKE
SAAN

0900 - 660 60 60
www.saan.nl
info@saan.nl

Versiedatum: 23-12-2021

Servicecode:

K050WT

This publication remains the property of the publisher and shall be treated as confidential, unless contractually specified otherwise. No parts of it may be reproduced, stored in a retrieval system or transmitted in any form or by any means, without the prior written permissions of the publisher. Typing errors reserved. No rights may be derived from these drawings and tables.

Pagina:

4 / 4